

INA7302

Rackmount Network Appliance

Performance 1U Network Appliance with AMD Ryzen™ 7000 series & up to 14 GbE Ports



Features

- AMD Ryzen™ 7000 series with B650 PCH
- 2x DDR5 ECC UDIMM, Max. 128GB
- 1x 2.5GbE RJ45 ports on board
- 4x 1.0GbE RJ45 ports on board
- 2x 10GbE RJ45 ports on board
- Optional NIC slot
- 1x PCI-E (x8/x16) expansion slot
- 700W 1+1 redundant power supplies

Specifications

CPU	AMD Ryzen™ 7000 series AM5 LGA1718
Chipset	AMD B650 PCH
Memory	2x DDR5 ECC UDIMMs up to 5600 MT/s, Max. 128GB
Display	1x Display Port 1x LCM
Ethernet	1x 2.5GbE RJ45 (Intel® I210V) 4x 1GbE RJ45 (Intel® I350-AM4) 2x 10GbE RJ45 (Intel® E610-XAT2) 1x IBN cards 1x HLHF PCIE card
Bypass	Via IBN module SKU
Expansion	1x PCI-E x16 expansion slot#1 (Slot#1 usage can support Gen5x16, Duo slot usage will render both slots to PCI-E Gen5x8) 1x PCI-E x8 expansion slot#2 2x M.2 (PCI-E Only)
IPMI	Optional module, compliant with IPMI 2.0
Storage	HDD/SSD: 1x 2.5" Internal 2x M.2 NVME (2242/2280) 1x SATA DOM
TPM	TPM 2.0
I/O	1x LCM 3x LED (Power / HDD / Status) 1x RJ45 console 2x USB 3.0 1x MGMT port
Power Supply	Full-range 600W 1+1 redundant power supply
Dimensions	438(W) x 450(D) x 44.5(H)mm
Weight	N/A

Operating Temperature	0°C ~ 40°C (32°F ~ 104°F)
Storage Temperature	-20° ~ 70°C (-4°F ~ 158°F)
Operating Humidity	5% ~ 90%
Certification	CE/FCC